



**MAXIMA**[®]
ONLY FOR REAL PROFESSIONALS



“If there isn’t a price to pay, then it’s of no value”.

Albert Einstein




TABLE DISPLAYS

TABLE DISPLAYS

TABLE DISPLAY FOR BLADES 230

By purchasing n.2 diamond blades with continuous crown Ø 230 mm (9,05 in) for each of the following items: Turbo Black, Turbo Yellow, Turbo Green, Turbo Amaranth, Laser Silver and Laser Red Silent, you will get this wonderful table display for free.

Dimensions (mm): L405xH350xD110
 (15,94x 13,77x4,33 in)
 Provided with anti-theft system.



cod. FREXPODI

TABLE DISPLAY FOR BLADES FOR CERAMICS

By purchasing n.12 diamond blades Ø 115 mm (4,52 in) for each of the following items: Cer Gold Turbo, Cer Pink Turbo, Cer Pink Laser and Cer Red Turbo, you will get for free one more blade for each of the a.m. models together with the elegant and practical display for the ceramic line of Maxima diamond blades.

Dimensions (mm): L310xH610xP200 (12,20x24x7,87 in)



cod. FREXPOCER1

DISPLAY FOR GRINDING CUPS

By purchasing n.5 assorted grinding cups of the same Ø, you will receive this wonderful table display for free.

Dimensions (mm): L320xH230xD80
 (12,59x9,05x3,14 in)
 Provided with anti-theft system.



cod. FREXPOTUC1

TABLE DISPLAYS

DISPLAY FOR DIAMOND CORE BITS

By purchasing n.2 Gold Spiral diamond core bits for each of the following Ø: 57, 68, 82, 102 mm, you will get this wonderful table display for free.

Dimensions (mm): L405xH350xD110
 (15,94x13,77x4,33 in)
 Provided with anti-theft system.



cod. FREXPOFO

TABLE DISPLAY FOR CAROMAX 800

By purchasing n.1 professional coring machine Caromax 800, you will get the exclusive and functional table display for free. It can display a coring machine in a small space, in an aesthetic and complete way, together with all the technical information that can be needed the first time you approach this product.

Dimensions (mm): L405xH240xD250
 (15,94x9,44x9,84 in)



cod. FREXPOCA800

TABLE DISPLAY FOR CAROMAX 1800

By purchasing n.1 professional coring machine Caromax 1800, you will get the exclusive and functional table display for free. It can display a coring machine in a small space in an aesthetic and complete way, together with all the technical information that can be needed the first time you approach this product.

Dimensions (mm): L405xH240xD250
 (15,94x9,44x9,84 in)



cod. FREXPOCA1800

TABLE DISPLAY FOR RED STONEWARE CORE BITS

SELECTION RED STONEWARE CORE BIT

Support	Q.ty
Table display	1

RED STONEWARE CORE BITS FOR DRILLING MACHINE

Diameter	Q.ty
6 mm. (0,23 in) cylindrical	1
8 mm. (0,31 in) cylindrical	1
10 mm. (0,39 in) cylindrical	1

RED STONEWARE CORE BITS FOR GRINDING MACHINE

Diameter	Q.ty
6 mm. (0,23 in) M14	1
8 mm. (0,31 in) M14	1
10 mm. (0,39 in) M14	1
12 mm. (0,47 in) M14	1
20 mm. (0,78 in) M14	1
30 mm. (1,18 in) M14	1
35 mm. (1,37 in) M14	1
50 mm. (1.96 in) M14	1



TABLE DISPLAYS

cod. FREXPOPLATO

TABLE DISPLAY FOR GRINDING CUPS

SELECTION GRINDING CUPS

Support
Table display

Q.ty
1

Model	Ø	Hole	Q.ty
Resin Cup	125 (4,92 in)	22,2	6
Gold Cup	125 (4,92 in)	22,2	6
Silver Cup	125 (4,92 in)	22,2	6
Orange cup	125 (4,92 in)	22,2	6
Amaranth Cup	125 (4,92 in)	22,2	6
Red Cup	125 (4,92 in)	22,2	6
Green Cup	125 (4,92 in)	22,2	6
Yellow Cup	125 (4,92 in)	22,2	6
Azure Cup	125 (4,92 in)	22,2	6



Dimensions (mm): L 388 x H 540 x P 262
(15,27x21,25x10,31 in)

TABLE DISPLAYS

cod. FRKITEXPOABRA

TABLE DISPLAY FOR ABRASIVE WHEELS \varnothing 125 (4,92 in)

SELECTION OF ABRASIVE WHEELS

Support
Table display

Q.ty
1

Model	Thickness	N.pcs per box	Q.ty
Stainless Steel Silver	1,0 (0,03 in)	25	4
Stainless Steel Silver	1,3 (0,05 in)	25	4
Stainless Steel Silver	1,6 (0,23 in)	25	4
Iron Amaranth	1,0 (0,03 in)	25	4
Iron Amaranth	1,3 (0,05 in)	25	4
Iron Amaranth	1,6 (0,23 in)	25	4
Iron Green	1,0 (0,03 in)	25	4
Iron Green	1,3 (0,05 in)	25	4
Iron Green	1,6 (0,23 in)	25	4



Dimensions (mm): L 388 x H 540 x P 262
(15,27x21,25x10,31)



Abrasive Wheels
Made in Italy

PATENTED

Patented Ventilation
System



Patented Packaging



"OSA" certified abrasive wheels
Organization for the Safety of Abrasives

EN12413

Abrasive Wheels in
compliance with the EN
12413 regulation (Europe)

FLOOR DISPLAYS

FLOOR DISPLAYS

cod. FREXPOMAXDIL

FLOOR DISPLAY WITH DIAMOND BLADES

SELECTION OF DIAMOND BLADES

Support		Q.ty
Floor Display		1
Model	Ø	Q.ty
Cer Pink Premium	125 (4,92 in)	6
Cer Gold Turbo	125 (4,92 in)	6
Cer Amaranth	125 (4,92 in)	6
Cer Pink Laser	125 (4,92 in)	6
Laser Black	125 (4,92 in)	6
Laser Yellow	125 (4,92 in)	6
Laser Green	125 (4,92 in)	6
Laser Amaranth Silent	125 (4,92 in)	6
Laser Black	230 (9,05 in)	6
Laser Azure	230 (9,05 in)	6
Laser Yellow	230 (9,05 in)	6
Laser Green	230 (9,05 in)	6
Laser Red Silent	230 (9,05 in)	6
Laser Amaranth Silent	230 (9,05 in)	6
Laser Orange Silent	230 (9,05 in)	6
Laser Gold Duramax Silent	230 (9,05 in)	6



Dimensions (mm): L730 x H2200 x P400
(28,74 x 86,61 x 15,74 in)

*purely indicative picture

FLOOR DISPLAYS

cod. FREXPOMAXDILTC

FLOOR DISPLAY WITH LASER BLADES, TURBO BLADES, BLADES FOR CERAMICS

SELECTION OF DIAMOND BLADES

Support
Floor Display

Q.ty
1

Model

∅

Q.ty

Turbo Black	125 (4,92 in)	6
Turbo Green	125 (4,92 in)	6
Turbo Yellow	115 (4,52 in)	6
Turbo Black	230 (9,05 in)	6
Turbo Yellow	230 (9,05 in)	6
Turbo Green	230 (9,05 in)	6
Turbo Amaranth	230 (9,05 in)	6
Cer Pink Premium	125 (4,92 in)	6
Cer Amaranth	125 (4,92 in)	6
Cer Gold Turbo	125 (4,92 in)	6
Laser Yellow	230 (9,05 in)	6
Laser Silver H8	230 (9,05 in)	6
Laser Amaranth Silent	230 (9,05 in)	6
Laser Orange Silent	230 (9,05 in)	6



Dimensions (mm): L730 x H2200 x P400
(28,74 x 86,61 x 15,74 in)

*purely indicative picture

FLOOR DISPLAYS

cod. FREXPOMAXDICTP

FLOOR DISPLAY WITH BLADES FOR CERAMICS, TURBO BLADES, GRINDING CUPS

SELECTION TOOLS

Support
Floor display

Q.ty
1

Model

	Ø	Q.ty
Cer Gold Turbo	125 (4,92 in)	8
Cer Amaranth with reinforcement	125 (4,92 in)	8
Cer Pink Premium	125 (4,92 in)	8
Cer Pink Turbo	125 (4,92 in)	8
Cer Pink Laser	125 (4,92 in)	8
Cer White Turbo	115 (4,52 in)	8
Silver Cup	125 (4,92 in)	2
Amaranth Cup	125 (4,92 in)	2
Yellow Cup	125 (4,92 in)	2
Turbo Green	125 (4,92 in)	8
Turbo Yellow	115 (4,52 in)	8
Turbo Black	125 (4,92 in)	8
Laser Red Silent	230 (9,05 in)	8
Turbo Green	230 (9,05 in)	8
Turbo Yellow	230 (9,05 in)	8
Turbo Black	230 (9,05 in)	8



Dimensions (mm): L730 x H2200 x P400
(28,74 x 86,61 x 15,74 in)

*purely indicative picture

FLOOR DISPLAYS

cod. FREXPOMAXDICFP

FLOOR DISPLAY WITH BLADES FOR CERAMICS, RED STONEWARE CORE BITS, GRINDING CUPS

SELECTION TOOLS

Support Q.ty
Floor display 1

Model	Ø	Q.ty
Cer Gold Turbo	125 (4,92 in)	6
Cer Amaranth with reinforcement	125 (4,92 in)	6
Cer Pink Premium	125 (4,92 in)	6
Cer Pink Turbo	125 (4,92 in)	6
Cer Pink Laser	125 (4,92 in)	6
Cer White Turbo	115 (4,52 in)	6
Red Stoneware Core Bits	6 (0,23 in)	5
Red Stoneware Core Bits	8 (0,31 in)	5
Red Stoneware Core Bits	10 (0,39 in)	5
Red Stoneware Core Bits	12 (0,47 in)	5
Red Stoneware Core Bits	14 (0,55 in)	5
Red Stoneware Core Bits	16 (0,62 in)	5
Red Stoneware Core Bits	20 (0,78 in)	5
Red Stoneware Core Bits	25 (0,98 in)	2
Red Stoneware Core Bits	30 (1,18 in)	2
Red Stoneware Core Bits	50 (1,96 in)	2
Amaranth Cup	100 (3,93 in)	2
Silver Cup	125 (4,92 in)	2
Amaranth Cup	125 (4,92 in)	2
Yellow Cup	125 (4,92 in)	2
Silver Cup	150 (5,90 in)	1
Amaranth Cup	180 (7,08 in)	1
Cer Pink Turbo	230 (9,05 in)	4
Cer Pink Laser	200 (9,05 in)	4



Dimensions (mm): L730 x H2200 x P400
(28,74 x 86,61 x 15,74 in)

*purely indicative picture

FLOOR DISPLAYS

cod. FREXPOMAXCATCL

FLOOR DISPLAY WITH CUTTING, CORING AND GRINDING TOOLS

SELECTION TOOLS AND MACHINERY

Support
Floor display Q.ty
1

Model	Ø	Q.ty
Turbo Green	125 (4,92 in)	8
Turbo Yellow	115 (4,52 in)	8
Turbo Black	125 (4,92 in)	8
Cer Gold Turbo	125 (4,92 in)	8
Cer Pink Premium	125 (4,92 in)	8
Cer White Turbo	115 (4,52 in)	8
Turbo Green	230 (9,05 in)	8
Turbo Yellow	230 (9,05 in)	8
Turbo Black	230 (9,05 in)	8
Laser Silver H8	230 (9,05 in)	8
Silver Cup	100 (3,93 in)	1
Amaranth Cup	100 (3,93 in)	1
Silver Cup	125 (4,92 in)	1
Amaranth Cup	125 (4,92 in)	1
Levimax 125		1
Gold Laser Spiral Core Bit	42 (1,65 in)	1
Gold Laser Spiral Core Bit	57 (2,24 in)	1
Gold Laser Spiral Core Bit	68 (2,67 in)	1
Gold Laser Spiral Core Bit	82 (3,22 in)	1
Gold Laser Spiral Core Bit	102 (4,01 in)	1
Gold Laser Spiral Core Bit	127 (5 in)	1
Gold Laser Spiral Core Bit	162 (6,37 in)	1
Caromax 1800		1
Display pour Caromax 1800		1
Cylindrical centring bits L220	8 (0,31in)	2
Hexagonal fitting L.100 - M16M		1
Hexagonal fitting L.220 - M16M		1
Sds Fittings Plus L.100 M16		1
Sds Fittings Plus L.220 M16		1
Tool dressing stone	300 (11,81in)	1



Dimensions (mm): L1000 x H2200 x P400
(39,37 x 86,61 x 15,74 in)

*purely indicative picture

FLOOR DISPLAYS

cod. FREXPOMAXDIACC2

FLOOR DISPLAY WITH CUTTING, CORING AND GRINDING ACCESSORIES

SELECTION TOOLS

Support		Q.ty
Floor display		1
Model	Ø	Q.ty
CUFFIA T125	125 (4,92 in)	8
Dust vacuum accessory for angle grinder 125 mm		
CUFFIA T230	230 (9,05 in)	8
Dust vacuum accessory for angle grinder 230 mm		
SLITTA T125	125 (4,92 in)	2
Precision cutting accessory for angle grinder 125 mm		
JOLLY T125	125 (4,92 in)	10
"Jolly" cutting accessory for angle grinder 125 mm		
CUFFIAMAX	82 (3,22 in)	3
Dust suction cowl for "open" core bits Ø 82 max		
CUFFIAMAX	162 (6,37 in)	3
Dust suction cowl for "open" core bits Ø 162 max		
CENTRAGGIO FRG		2
Centring suction cup for red stoneware core bits from Ø 6 TO Ø 60		
CUFFIA L125	115/125 (4,52/ 4,92 in)	3
Universal cowl for dust vacuum		
CUFFIA L180	180/230	3
Cowl L180 for angle grinder 180-230 mm excluding accessories (7,08/9,05 in)		



Dimensions (mm): L730 x H2200 x P400
(28,74x86,61x15,74 in)

*purely indicative picture

FLOOR DISPLAYS

cod. FREXPOMAXDIACC

FLOOR DISPLAY WITH BLADES FOR CERAMICS AND ACCESSORIES FOR CUTTING AND CORING

SELECTED DIAMOND BLADES AND ACCESSORIES

Support		Q.ty
Floor display		1

Model diamond blades	Ø	Q.ty
Cer Gold Turbo	125 (4,92 in)	6
Cer Amaranth with reinforcement	125 (4,92 in)	6
Cer Pink Premium	125 (4,92 in)	6
Cer Pink Turbo	125 (4,92 in)	6
Cer Pink Laser XLOCK	125 (4,92 in)	6
Cer White Turbo	115 (4,52 in)	6
Cer Pink Turbo	230 (9,05 in)	3
Cer Pink Laser	200 (7,87 in)	3

Model accessories	Ø	Q.ty
Cuffia T125	125 (4,92 in)	6
Cuffia T230	230 (9,05 in)	6
Slitta T125	125 (4,92 in)	3
Jolly T125	125 (4,92 in)	6
Cuffiamax	82 (3,22 in)	3
Cuffiamax	162 (6,37 in)	3
Centring device FRG 0-60		3
Cuffia L125	125 (4,92 in)	3
Cuffia L180	180 (7,08 in)	3



Dimensions (mm): L730 x H2200 x P400
(28,74x86,61x15,74 in)

*purely indicative picture

FLOOR DISPLAYS

cod. FREXPOMAXDIDDOUBLE

DOUBLE FLOOR DISPLAY WITH DIAMOND BLADES

SELECTION DIAMOND BLADES

Support
Floor display

Model	Ø	Q.ty
Turbo Gree	125 (4,92 in)	6
Turbo Black	125 (4,92 in)	6
Laser Red Silent	125 (4,92 in)	6
Cer Gold Turbo	125 (4,92 in)	6
Cer Pink Turbo	125 (4,92 in)	6
Cer White Turbo	115 (4,52 in)	6
Turbo Silver	230 (9,05 in)	6
Turbo Amaranth	230 (9,05 in)	6
Turbo Green	230 (9,05 in)	6
Turbo Yellow	230 (9,05 in)	6
Turbo Black	230 (9,05 in)	6
Laser Silver H8	230 (9,05 in)	6
Laser Red Silent	230 (9,05 in)	6
Laser Yellow	230 (9,05 in)	6
Laser Red Silent	350 (13,77 in)	2
Laser Yellow	350 (13,77 in)	2
Orange Cement	350 (13,77 in)	1
Azure Cement	350 (13,77 in)	1
Black Asphalt	350 (13,77 in)	1
Green Asphalt	350 (13,77 in)	1
Laser Red Silent	400 (15,74 in)	2
Laser Yellow	400 (15,74 in)	2
Orange Cement	400 (15,74 in)	1
Azure Cement	400 (15,74 in)	1
Black Asphalte	400 (15,74 in)	1
Green Asphalte	400 (15,74 in)	1

Q.ty
2

Q.ty



Dimensions (mm) : L1420 x H2200 x P400
(55,9 x86,61x15,74 in)

*purely indicative picture

FLOOR DISPLAYS

cod. FREXPOMAXDI + FREXPOMAXCA

DOUBLE FLOOR DISPLAY WITH CUTTING AND CORING TOOLS

SELECTED DIAMOND BLADES, TOOLS AND MACHINERY

Support **Q.ty**
Floor display 2

Model **Q.ty**
Floor display for laser, turbo,
ceramic blades 1
Floor display for coring 1



Dimensions (mm): L1730 x H2200 x P400
(68,11x86,61x15,74 in)

*purely indicative picture

FLOOR DISPLAYS

cod. FREXPOMAXCA

FLOOR CORING DISPLAY

SELECTED TOOLS AND MACHINERY

Support Q.ty
Floor display 1

Model Ø Q.ty

Caromax 800		1
Caromax 1800		2
Vacuum kit		1
Aspiramax 1200		1
Other accessories		1
Laser Gold Spiral	42 (1,65 in)	1
Laser Gold Spiral	52 (2,04 in)	1
Laser Gold Spiral	57 (2,24 in)	1
Laser Gold Spiral	62 (2,44 in)	1
Laser Gold Spiral	68 (2,67 in)	1
Laser Gold Spiral	72 (2,83 in)	1
Laser Gold Spiral	82 (3,22 in)	1
Laser Gold Spiral	92 (3,62 in)	1
Laser Gold Spiral	102 (4,01 in)	1
Laser Gold Spiral	112 (4,40 in)	1
Laser Gold Spiral	122 (4,80 in)	1
Laser Gold Spiral	127 (5 in)	1
Laser Gold Spiral	132 (5,19 in)	1
Laser Gold Spiral	142 (5,59 in)	1
Laser Gold Spiral	152 (5,98 in)	1
Laser Gold Spiral	162 (6,37 in)	1
Laser Gold Spiral	205 (8,07 in)	1
Vacuum 300	52 (2,04 in)	1
Vacuum 300	57 (2,24 in)	1
Vacuum 300	62 (2,44 in)	1
Vacuum 300	68 (2,67 in)	1
Vacuum 300	82 (3,22 in)	1
Vacuum 300	102 (4,01 in)	1
Vacuum 300	107 (4,21 in)	1
Vacuum 300	112 (4,40 in)	1
Vacuum 300	127 (5 in)	1
Vacuum 300	132 (5,19 in)	1
Vacuum 300	162 (6,37 in)	1
Gold 450	102 (4,01 in)	1
Gold 450	132 (5,19 in)	1
Tool dressing stone	300 (11,81 in)	2

Spare parts Caromax 800

O-ring 5x1,5
O-ring 6x1,5
Coal
Charcoal holder
Life buoy prcd

Spare parts Caromax 1800

Coal
Charcoal holder
Electronic control
Electric cable
Switch



Dimensions (mm): L1000 x H2200 x P400
(39,37 x 86,61 x 15,74 in)

*purely indicative picture

FLOOR DISPLAYS

cod. FREXPOMAXCA2

FLOOR CORING DISPLAY WITH DRILL STANDS

SELECTED TOOLS AND MACHINERY

Support Q.ty
Floor display 1

Model Ø Q.ty

Caromax 800		1
Caromax 1800		2
Vacuum kit		1
Aspiramax 1200		1
Other accessories		1
Caromax 200		1
Caromax 250		1
Laser Gold Spiral	42 (1,65 in)	1
Laser Gold Spiral	52 (2,04 in)	1
Laser Gold Spiral	57 (2,24 in)	1
Laser Gold Spiral	62 (2,44 in)	1
Laser Gold Spiral	68 (2,67 in)	1
Laser Gold Spiral	72 (2,83 in)	1
Laser Gold Spiral	82 (3,22 in)	1
Laser Gold Spiral	92 (3,62 in)	1
Laser Gold Spiral	102(4,01 in)	1
Laser Gold Spiral	112(4,40 in)	1
Laser Gold Spiral	122(4,80 in)	1
Laser Gold Spiral	127(5 in)	1
Laser Gold Spiral	132(5,19 in)	1
Laser Gold Spiral	142(5,59 in)	1
Laser Gold Spiral	152(5,98 in)	1
Laser Gold Spiral	162(6,37 in)	1
Laser Gold Spiral	205(8,07 in)	1
Vacuum 300	52 (2,04 in)	1
Vacuum 300	57 (2,24 in)	1
Vacuum 300	62 (2,44 in)	1
Vacuum 300	68 (2,67 in)	1
Vacuum 300	82 (3,22 in)	1
Vacuum 300	102(4,01 in)	1
Vacuum 300	107(4,21 in)	1
Vacuum 300	112(4,40 in)	1
Vacuum 300	127(5 in)	1
Vacuum 300	132(5,19 in)	1
Vacuum 300	162(6,37 in)	1
Gold 450	82 (3,22 in)	1
Gold 450	102(4,01 in)	1
Gold 450	112(4,40 in)	1
Gold 450	122(4,80 in)	1
Gold 450	132(5,19 in)	1
Gold 450	162(6,37 in)	1
Tool dressing stone	300 (11,81 in)	2

Spare parts Caromax 800

- O-ring 5x1,5
- O-ring 6x1,5
- Coal
- Charcoal holder
- Life buoy prod

Spare parts Caromax 1800

- Coal
- Charcoal holder
- Electronic control
- Electric cable
- Switch



Dimensions (mm): L1730 x H2200 x P400
(68,11x86,61x15,74 in)

*purely indicative picture

DEMO DAYS



ROLL-UPS AND POSTERS

**IS DRILLING REINFORCE CONCRETE
A PROBLEM?
MAXIMA CAN SOLVE IT**

MAXIMA
ONLY FOR REAL PROFESSIONALS

www.maxima-dia.com

YouTube Facebook Instagram

SESSOLO
OFFICIAL PARTNER

**IS DRILLING ALL TYPES
OF FLOOR TILES AND
COVERINGS
PERFECTLY
A PROBLEM?
MAXIMA CAN SOLVE IT.**

CERAMIC, PORCELAIN STONEWARE, GRANITE, MARBLE, CLINKER, PORPHYRY,
GLASS MOSAIC, GLASS BRICK, COMPOSITE MATERIALS, DEKTON.

MAXIMA
ONLY FOR REAL PROFESSIONALS

www.maxima-dia.com

YouTube Facebook Instagram

SESSOLO
OFFICIAL PARTNER

MAXIMA
ONLY FOR REAL PROFESSIONALS

CUSTOMER BRAND

**DEMONSTRATION DAY
TESTING IS BELIEVING
IN THIS STORE
ON []**

**SINCE 2002
WE DRILL
REINFORCED
CONCRETE DRY**

**FIND OUT HOW TO DRILL REINFORCED CONCRETE,
DRY, ALSO WITH SUCTION ...**

Maximum cutting diameter: 200 mm
Speed on reinforced concrete: 18 cm depth: 2,30 minutes
max with Maxima Maxima suction drill bit for 200 mm

**... AND ALSO PORCELAIN
STONEWARE IN A FEW SECONDS ...**

Approximate performance with 8 mm diameter diamond core bit:

- Porcelain stoneware thickness: 12 mm, cutting area 7 seconds - performance 350 holes
- Granite thickness 20 mm, cutting area 8 seconds - performance 300 holes
- Marble thickness 20 mm, cutting area 8 seconds - performance 400 holes
- Glass Mosaic thickness 4 mm, cutting area 2 seconds - performance 300 holes

www.maxima-dia.com

MAXIMA
ONLY FOR REAL PROFESSIONALS

YouTube Facebook Instagram



SASSUOLO
OFFICIAL PARTNER

Maxima S.p.A. is the Official Partner of U.S. SASSUOLO CALCIO



Maxima has chosen a sporting metaphor to communicate its values: passion and professionalism, as well as the determination to achieve objectives. Not by chance, it has chosen the symbol of Myron's Discobolus, the emblem of artistic and athletic perfection, and above all that dynamism that has always embodied the company's DNA.

Consistently with this vision, and continuing with a partnership that began with the football season 2014-2015, once more Maxima will be standing alongside U.S. Sassuolo in its capacity as Official Partner for the next three years. The consolidated synergy with the "black and green" club, which has been playing in Serie A for years now, demonstrates how much Maxima believes in long-term planning. Furthermore, this partnership reflects the common principles and vision of the two companies: belonging to the same territory, the strength of the group, bold choices, ambition and achieving excellent results even beyond national borders.





www.maxima-dia.com

*Maxima S.p.A. reserves the right to modify the information and images in this price list in order to improve its product range.
Reproduction of any kind is forbidden unless expressly authorised by Maxima SpA in writing. © 2021 Copyright. All rights reserved.*